

H. S. BALL.

Compound Stationery Implements.

No. 133,350.

Patented Nov. 26, 1872.

Fig. 1.





Fig. 2.



Witnesses:
P. C. Dietrich
Geo. W. Mabee

Inventor:
H. S. Ball
PER *Mumford*
Attorneys.

UNITED STATES PATENT OFFICE.

HUGH S. BALL, OF SPARTANBURG, SOUTH CAROLINA.

IMPROVEMENT IN COMPOUND STATIONERY IMPLEMENTS.

Specification forming part of Letters Patent No. **133,350**, dated November 26, 1872.

To all whom it may concern:

Be it known that I, HUGH S. BALL, of Spartanburg, in the county of Spartanburg and State of South Carolina, have invented an Improved Combined Ruler, Blotter, and Paper-Cutter, of which the following is a specification:

Figure 1 is a side view of my improved ruler, blotter, and paper-cutter. Fig. 2 is a detail cross-section of the same taken through the line *x x*, Fig. 1.

Similar letters of reference indicate corresponding parts.

My invention has for its object to furnish an improved ruler, blotter, and paper-cutter combined, which shall be so constructed that it may be used with as much facility as a ruler, blotter, and paper-cutter as if it were constructed especially for each of said uses; and it consists in the construction and combination of the various parts of the device, as hereinafter more fully described.

A is a plate of light sheet metal, of suitable length and breadth, the side edges of which are bent downward a little beyond a right angle, as shown in Fig. 2. B is a plate of sheet rubber of the same length as the plate A, and of such a breadth that when its side edges are sprung or slipped between the flanges or turned-down edges of the plate A the said rubber plate may have the form of a semi-cylinder, as shown in Fig. 2. C is a sheet of blotting-paper of the same length and breadth as the rubber-plate B, and which is placed upon the outer or convex surface of the rubber plate B, and between the flanges or turned-down edges of the plate A. D is a narrow strip of

sheet metal soldered or otherwise attached to the side part of the plate A, as shown in Figs. 1 and 2, so as to project so much that by pressing the device down toward that side the edge of the plate D may be brought in contact with the paper to enable it to be torn straight. E is a strip of wood, the edges of which are beveled off, as shown in Fig. 2, to correspond with the inclination of the turned-down edges or flanges of the plate A, so as when pushed in between the edges of the rubber plate B it may press the edges of the rubber plate B and blotting-paper C against the turned-down edges or flanges of the plate A, and may thus securely confine the said rubber plate and blotting-paper in place. With this construction, when the blotting-paper C becomes soiled, the rubber plate B, blotting-paper C, and wooden strip E may be conveniently slipped out and the blotting-paper C replaced by a new one. The device may have a knob or other handle, F, attached to it for convenience in using it.

Having thus described my invention, I claim as new and desire to secure by Letters Patent—

As a new article of manufacture, the compound implement herein described, consisting of plate A having side edges turned down, the rubber-plate B, blotting-paper C, the projecting strip D, the wooden strip E, and the handle F, arranged to form a ruler, blotter, and paper-cutter, as set forth.

HUGH S. BALL.

Witnesses:

R. E. CLEVELAND,
JNO. H. EVINS.